

HUE: RUG

HELM

FLOORING



HELM

FLOORING


Vinyl backing layer with high resistance to pressure

Middle vinyl layer for extra stability and support

Printed layer to recreate the look and texture of natural materials

Transparent vinyl wear layer that's extremely durable

AMP PU coating for added scratch, stain, scuff, abrasion, and fade resistance




GLUE DOWN SPECIFICATIONS

- Wear Layer: 22mil (0.55mm)
- Overall Thickness: 2.5 mm
- Size 9.84" x 39.37" (250mm x 1000mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: 20-Year Commercial and Lifetime Residential

LOOSE LAY SPECIFICATIONS

- Wear Layer: 22mil (0.55mm)
- Overall Thickness: 5.0 mm
- Size 9.84" x 39.37" (250mm x 1000mm)
- 100% Phthalate Free
- Reach Compliant
- Warranty: 20-Year Commercial and Lifetime Residential

Vinyl base layer for stability and support



Vinyl base layer for stability and support

Fiberglass layer to minimize expansion and contraction

Vinyl base layer for stability and support

Fiberglass layer to minimize expansion and contraction

Vinyl base layer for stability and support

Printed layer to recreate the look and texture of natural materials

Transparent vinyl wear layer that's extremely durable

AMP PU coating for added scratch, stain, scuff, abrasion, and fade resistance



- Patented Coating
- 30% More Scratch Resistance Over Typical Coatings
- Exceptional Wear Resistance and High Strength
- Low-gloss finish

SPECIFICATIONS:

SOLID VINYL TIDE:	CLASS III, TYPE B
RESIDUAL INDENTATION:	PASSES, <10%
FLEXIBILITY:	PASSES, 25.4MM MANDREL
DIMENSIONAL STABILITY:	PASSES, <0.020 IN. PER LIN. FT.
CHEMICAL RESISTANCE:	PASSES (ASK FOR CHART)
HEAT COLOR STABILITY:	PASSES, < Δ8E
LIGHT COLOR STABILITY:	PASSES, < Δ8E
STATIC LOAD LIMIT:	PASSES, 250 LBS.
MODIFIED FOR MAX WEIGHT:	1,450 LBS. (GLUE DOWN); 1,200 LBS. (LL)
CRITICAL RADIANT FLUX:	CLASS I, >0.45 W/CM ²
SMOKE DENSITY:	PASSES, <450
SLIP RESISTANCE:	>0.6 (DRY)



ABERDEEN

GLUE DOWN: ADB11 / LOOSE LAY: ABD11L



ABINGDON

GLUE DOWN: ABI11 / LOOSE LAY: ABI11L



ABRON

GLUE DOWN: ABR13 / LOOSE LAY: ABR13L



ACADEMY

GLUE DOWN: ACA31 / LOOSE LAY: ACA31L



ACADIA

GLUE DOWN: ACD32 / LOOSE LAY: ACD32L



ADLER

GLUE DOWN: ADL33 / LOOSE LAY: ADL33L




ALTMONT

GLUE DOWN: ALT21 / LOOSE LAY: ALT21L



ALNICK

GLUE DOWN: ALN22 / LOOSE LAY: ALN22L



ALPHA

GLUE DOWN: ALP23 / LOOSE LAY: ALP23L



ALYEA

GLUE DOWN: ALY24 / LOOSE LAY: ALY24L




ANDROVER

GLUE DOWN: STR025 / LOOSE LAY: STR025L



ANGIER

GLUE DOWN: STR041 / LOOSE LAY: STR041L



APEX

GLUE DOWN: STR051 / LOOSE LAY: STR051L



HELM

FLOORING